

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** INFINITY HOME CAPSULE**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No relevant identified uses-mixture of substances.

Application of the substance / the mixture: Room Deodorant - Air Freshener**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SPRING AIR

Deligiorgi 2 & Ionias

174 56 Alimos, Athens, Greece

Tel: +30 2109734805

Fax: +30 2109945660

e-mail: info@springair.gr

website: www.springair.gr

1.4 Emergency telephone number: Τηλ. Κέντρου Δηλητηριάσεων 2107793777**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS07 GHS09

Signal word: Warning**Hazard-determining components of labelling:**

Acetyl cedrene

Hydroxymethylpentylcyclohexen

e-carboxaldehyde (Lyr al)

a-iso methyl ionone

pentadecan-15-olide

Lemon oil terpenes

(Contd. on page 2)

GB

Safety Data Sheet

complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

Limonene

(Contd. of page 1)

Hazard statements:

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Ingredients according Regulation (EU) 830/2015:

CAS: 8014-09-3 EINECS: 282-493-4	Patchouly Oil ⚠ Aquatic Chronic 2, H411	2.5-<10%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	ethanol ⚠ Flam. Liq. 2, H225	2.5-<10%
CAS: 32388-55-9 EINECS: 251-020-3	Acetyl cedrene ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1, H317	2.5-<10%
CAS: 31906-04-4 EINECS: 250-863-3	Hydroxymethylpentylcyclohexen e-carboxaldehyde (Lyril) ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-<10%
CAS: 127-51-5 EINECS: 204-846-3	a-iso methyl ionone ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-<10%
CAS: 106-02-5 EINECS: 203-354-6	pentadecan-15-olide ⚠ Aquatic Chronic 2, H411; ⚠ Skin Sens. 1, H317	1-≤2.5%
CAS: 68917-33-9 EINECS: 284-515-8	Lemon oil terpenes ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	1-≤2.5%
CAS: 60-12-8 EINECS: 200-456-2	2-phenylethanol ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	0.1-≤2.5%
CAS: 115-95-7 EINECS: 204-116-4	Linalyl acetate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.1-≤2.5%

(Contd. on page 3)

GB

Safety Data Sheet

**complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

		(Contd. of page 2)
CAS: 5989-27-5 EINECS: 227-813-5 Index number: 601-029-00-7	Limonene ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-<1%
CAS: 68990-83-0	cedarwood oil ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1-≤2.5%
CAS: 120-51-4 EINECS: 204-402-9 Index number: 607-085-00-9	Benzyl benzoate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302	0.1-≤2.5%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation: Seek medical treatment in case of complaints.

After skin contact: Wash with water and soap.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use of protective clothes and respiratory device is being recommended in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel Ensure sufficient ventilation.

6.1.2 For emergency responders Pick up mechanically and place into suitable for disposal containers.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Pick up mechanically

6.4 Reference to other sections:

See Section 7 for information on safe handling.

(Contd. on page 4)

Safety Data Sheet

complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL (Great Britain)	Long-term value: 1920 mg/m ³ , 1000 ppm
---------------------	--

DNELs

Ethanol cas number: 64-17-5

Workers long-term exposure systemic effects via inhalation route: 950 mg/m³

Workers acute/short term exposure local effects: 1900 mg/m³

Workers systemic effects long-term exposure via dermal route: 343 mg/kg bw/day

General Population systemic effects long-term exposure via inhalation route : 114 mg/m³

General Population local effects acute/short term exposure via inhalation route : 950 mg/m³

General Population systemic effects long term exposure via dermal route : 206 mg/kg bw/day

General Population systemic effects long term exposure via oral route : 87 mg/kg bw/day

PNECs

Ethanol cas number: 64-17-5

Freshwater : 0.96 mg/l

Marine water : 0.79 mg/l

Intermittent releases : 2.75 mg/l

STP : 580 mg/l

Sediment (freshwater) : 3.6 mg/kg sediment dw

Sediment (marine water) : 2.9

Soil : 0.63 mg/kg soil dw

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not required under normal conditions of use.

(Contd. on page 5)

GB

Safety Data Sheet

complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

(Contd. of page 4)

Protection of hands:


Protective gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Not required.

Body protection: Not required under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties
General Information
Appearance:

Form:	Solid
Colour:	Transparent polymer colored with the fragrance color
Odour:	Characteristic of the perfume
Odour threshold:	Not determined

pH value:	Not applicable
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined

Flash point:	Not applicable
---------------------	----------------

Flammability (solid, gaseous):	Not determined
---------------------------------------	----------------

Auto-ignition temperature:	Not determined
-----------------------------------	----------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Self-igniting:	Product is not selfigniting.
-----------------------	------------------------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Oxidising properties	Not considered as oxidising.

Vapour pressure:	Not applicable
-------------------------	----------------

Density:	Not determined
Relative density	Not determined
Vapour density	Not applicable
Evaporation rate	Not applicable

Solubility in / Miscibility with water:	Insoluble
--	-----------

Partition coefficient (n-octanol/water):	Not determined
---	----------------

(Contd. on page 6)

Safety Data Sheet

**complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

(Contd. of page 5)

Viscosity:
Dynamic:

Not applicable

Kinematic:

Not applicable

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Oral	LD50	132593 mg/kg (rat)
Dermal	LD50	58519 mg/kg (rabbit)

64-17-5 ethanol

Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h (vapour)	20000 mg/l (rat)

60-12-8 2-phenylethanol

Oral	LD50	1790 mg/kg (rat)
Dermal	LD50	790 mg/kg (rabbit)

5989-27-5 Limonene

Oral	LD50	4400 mg/kg (rat)
------	------	------------------

120-51-4 Benzyl benzoate

Oral	LD50	1700 mg/kg (rat)
Dermal	LD50	4000 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

GB

(Contd. on page 7)

Safety Data Sheet

complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

(Contd. of page 6)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Ethanol, cas: 64-17-5

Fish toxicity LC50:> 10000 mg / l

Daphnia toxicity, CEE0:> 7800 mg / l

Bacterial toxicity (Ps putida) CEE0:> 6500 mg / l

Algal toxicity (SC. Quadricauda), CEE0:> 5000 mg / l

Algal toxicity (M. Acruginosa), CEE0:> 1450 mg / l

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: The product contains materials that are harmful to the environment.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

UN3077

14.2 UN proper shipping name

ADR

3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (Patchouly Oil, Acetyl
cedrene)

IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S. (Patchouly Oil, Acetyl cedrene), MARINE
POLLUTANT

(Contd. on page 8)

GB

Safety Data Sheet

**complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

(Contd. of page 7)

IATA

Environmentally hazardous substance, solid, n.o.s.
(Patchouly Oil, Acetyl cedrene)

14.3 Transport hazard class(es)
ADR, IMDG, IATA

**Class
Label**

9 Miscellaneous dangerous substances and articles.
9

**14.4 Packing group
ADR, IMDG, IATA**

III

14.5 Environmental hazards:

Environmental Hazardous
Product contains environmentally hazardous substances:
Acetyl cedrene

Marine pollutant:

Yes
Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Danger code (Kemler):

90

EMS Number:

F-A,S-F

Stowage Category

A

Stowage Code

SW23 When transported in BK3 bulk container, see 7.6.2.12
and 7.7.3.9.

**14.7 Transport in bulk according to Annex II of
Marpol and the IBC Code**

Not applicable.

Transport/Additional information:
ADR
Limited quantities (LQ)

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

Transport category

3

Tunnel restriction code

E

IMDG
Limited quantities (LQ)

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (PATCHOULY OIL,
ACETYL CEDRENE), 9, III

GB

(Contd. on page 9)

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

(Contd. of page 8)

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category E2** Hazardous to the Aquatic Environment**Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**National regulations:****Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

(Contd. on page 10)

—GB—

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 01.06.2016

Version number 1

Revision: 11.03.2016

Trade name: INFINITY HOME CAPSULE

(Contd. of page 9)

Department issuing MSDS:

SUSTCHEM Engineering Ltd
REACH & Chemical Services Department
144, 3rd Septemvriou, GR 112 51, Athens, Greece
Tel.: +30 210 8252510 Fax: +30 210 8252575
E-mail: info@suschem.gr
Website: www.sustchem.gr

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Asp. Tox. 1: Aspiration hazard, Hazard Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

GB