

Page 1/14

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SPRAY RELAX UFI: 4820-E08S-300H-1HWM

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

Air freshener Consumer use Professional use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Prime Solutions 2 Deligiorgi str.

174 56, Alimos, Greece Tel.: +30 2109902641 Fax: +30 2109945660

e-mail:info@primesolutions.gr website: www.primesolutions.gr

Supplier/Distributor

Spring Air

Deligiorgi 2 & Ionias

174 56 Alimos, Athens, Greece

Tel: +30 2109734805 Fax:+30 2109945660 e-mail: info@springair.gr website: www.springair.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

EN

(Contd. on page 2)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:





GHS02 GHS07

Signal word: Danger

Hazard-determining components of labelling:

isoeugenol

4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde

linalyl acetate

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

Linalool

(R)-p-mentha-1,8-diene

Coumarin

Hazard statements:

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 3)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 2)

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

Classification according to Directive 75/324/EEC (ADD) and its amendments:

The product is classified according to the Directive 75/324/EEC (ADD) and its amendments, because its an aerosol dispenser product.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Determination of endocrine-disrupting properties

CAS: 1222-05-5 galaxolide

List II

3.2 Mixtures	41 (11) 1 1 1 1 1	
Description: Mixture consisting of the following hazardous ingredients:		
Ingredients according Regulation	` '	
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-50%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-XXXX	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	10-25%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	ethanol Flam. Liq. 2, H225; \$\frac{1}{2}\$ Eye Irrit. 2, H319	≥2.5-<10
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0	butane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	2.5-10%
CAS: 1222-05-5 EINECS: 214-946-9 Index number: 603-212-00-7 Reg.nr.: 01-2119488227-29-XXXX	galaxolide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<2.
CAS: 115-95-7 EINECS: 204-116-4	linalyl acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	≥0.1-<1
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-XXXX	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin	≥0.25-<1

Sens. 1B, H317

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

	(Co	ontd. of page 3)
CAS: 31906-04-4 EINECS: 250-863-4 Index number: 605-040-00-8	4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde Skin Sens. 1A, H317	≥0.1-<1%
CAS: 78-70-6 EINECS: 201-134-4 Index number: 603-235-00-2	Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	≥0.1-<1%
CAS: 5989-27-5 EINECS: 227-813-5 Index number: 601-096-00-2	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<0.25%
CAS: 91-64-5 EINECS: 202-086-7	Coumarin Acute Tox. 4, H302; Skin Sens. 1B, H317	≥0.1-<1%
CAS: 97-54-1 EINECS: 202-590-7 Index number: 604-094-00-X	isoeugenol ↑ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.01 %	≥0.01-<0.1%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

Wash the skin immediately with soap and water.

In case of skin irritation, consult a physician.

After eye contact:

Avoid strong water jet-risk of cornea damage, consult a doctor.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for 15 minutes.

Get medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

Hazards May cause an allergic skin reaction.

(Contd. on page 5)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 4)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Foam

Sand or soil

5.2 Special hazards arising from the substance or mixture

Pressurized container may explode in a fire. Pressurized container may explode if heated, due to excessive pressure build-up.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Wear eye protection.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Prevent the product from entering sewers, rivers or the aquatic environment.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

(Contd. on page 6)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 5)

Information about fire - and explosion protection:





Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Flammable gas-air mixtures may form in empty receptacles.

Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that	require moni	toring at the	workplace:
------------------------------------	--------------	---------------	------------

CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

IOELV (EU) Long-term value: 308 mg/m³, 50 ppm

Skin

WEL (Great Britain) Long-term value: 308 mg/m³, 50 ppm

Sk

CAS: 64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

CAS: 106-97-8 butane

WEL (Great Britain) Short-term value: 1810 mg/m³, 750 ppm

Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

CAS: 84-66-2 diethyl phthalate

WEL (Great Britain) Short-term value: 10 mg/m³

Long-term value: 5 mg/m³

DNEL Workers Long term exposure local effcts

Ethanol (CAS 64-17-5) Inhlation: 1900 mg/m³

DNEL Workers Long term exposure systemic effects

Ethanol (CAS 64-17-5) Inhalation: 950 mg/m³

Skin Contact: 343 mg/kg bw/day

(Contd. on page 7)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 6)

DNEL consumers Acute/short term exposure Local effects

Ethanol (CAS 64-17-5) Inhalation: 950 mg/m³

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection Not required.

Body protection:



Protective work clothing

Environmental exposure controls Do not release the product into the environment without control.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Aerosol

Colour: Not determined **Odour:** Characteristic Not determined **Odour threshold:**

Boiling point or initial boiling point and boiling

range Not applicable

Flammability Extremely flammable aerosol.

(Contd. on page 8)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 7)

Lower and upper explosion limit

Lower:
Upper:
Not determined
Not determined
Flash point:
Not applicable
Auto-ignition temperature:
Not determined
Decomposition temperature:
Not determined
Not determined
Not determined

Viscosity:

Kinematic viscosity Dynamic:Not determined
Not determined

Solubility

water:
Partition coefficient n-octanol/water (log value)
Vapour pressure:
Not determined
Not determined
Not determined

Density and/or relative density

Density:Not determinedRelative densityNot determinedVapour densityNot determined

9.2 Other information

Appearance:

Form: Aerosol

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

Cloud point / clarification point:

Oxidising propertiesNot oxidisingEvaporation rateNot applicable

Information with regard to physical hazard classes

Explosives Void Flammable gases Void

Aerosols Extremely flammable aerosol. Pressurised container:

May burst if heated.

Void **Oxidising gases** Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void

(Contd. on page 9)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 8)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

The product should not be exposed to high temperatures, sparks, flame and electrostatic charges.

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 64-17-5 ethanol

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h (vapour)	20,000 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

CAS: 1222-05-5 galaxolide

List II

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

EC50	1,000 mg/l (algae)

EC50 (48h) 1,000 mg/l (Daphnia magna)

LC50 (96h) 1,000 mg/l (fis)

(Contd. on page 10)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 9)

12.2 Persistence and degradability

(CAS: 64-17-5) Ethanol

84% in 20 days Biodegradable

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects Remark: Harmful to fish

Additional ecological information:

General notes:

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Europ	European waste catalogue		
HP3	Flammable		
HP14	Ecotoxic		

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
14.1 UN number or ID number ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	

(Contd. on page 11)

Printing date 23.09.2022 Version number 1 **Revision: 15.09.2022**

Trade name: SPRAY RELAX

	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
**	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code): EMS Number:	- F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1
	litre: Segregation as for class 9. Stow "separated from" class
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	-
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Transport category	2
	(Contd. on page 1

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

	(Contd. of page 11
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

The product is classified according to the Directive 75/324/EEC (ADD) and its amendments, because its an aerosol dispenser product.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I Does not contain named substances.

Seveso category P3a P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 13)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 12)

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Department issuing SDS:



SUST SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemyriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases - Category 1A

(Contd. on page 14)

Printing date 23.09.2022 Version number 1 Revision: 15.09.2022

Trade name: SPRAY RELAX

(Contd. of page 13)

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

EN-