

Page 1/13

# Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name: SPRAY PAPAYA GRAPE

UFI: RG40-K073-200D-7E29

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

# Application of the substance / the mixture:

Air freshener Consumer use Professional use

# 1.3 Details of the supplier of the safety data sheet

# Manufacturer/Supplier:

Prime Solutions 2 Deligiorgi str.

174 56, Alimos, Greece

Tel.: +30 2109902641 Fax: +30 2109945660

e-mail:info@primesolutions.gr website: www.primesolutions.gr

# Supplier/Distributor

Spring Air

Deligiorgi 2 & Ionias

174 56 Alimos, Athens, Greece

Tel: +30 2109734805 Fax:+30 2109945660 e-mail: info@springair.gr website: www.springair.gr

# 1.4 Emergency telephone number:



European Emergency Tel.: 112

EN

(Contd. on page 2)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 1)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

# Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

## Hazard pictograms:





GHS02 GHS07

Signal word: Danger

# **Hazard statements:**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

#### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P264 Wash hands thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### Additional information:

EUH208 Contains Ethyl 2,3-epoxy-3-phenylbutyrate. May produce an allergic reaction.

Buildup of explosive mixtures possible without sufficient ventilation.

(Contd. on page 3)

Version number 1 **Printing date 04.11.2022 Revision: 04.11.2022** 

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 2)

### ¢ëëåò ðëçñïöïñßåò:

# Classification according to Directive 75/324/EEC (ADD) and its amendments:

The product is classified according to the Directive 75/324/EEC (ADD) and its amendments, because its an aerosol dispenser product.

# 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Ingredients according Regulation (	EU) 2020/878:	
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-50%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-XXXX	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	10-25%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	ethanol  Flam. Liq. 2, H225;  Eye Irrit. 2, H319	≥2.5-<10%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0	butane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	2.5-10%
CAS: 105-54-4 EINECS: 203-306-4	ethyl butyrate  Flam. Liq. 3, H226;  Eye Irrit. 2, H319	≤2.5%
CAS: 134-20-3 EINECS: 205-132-4	methyl anthranilate  Eye Irrit. 2, H319	≤2.5%
CAS: 77-83-8 EINECS: 201-061-8	Ethyl 2,3-epoxy-3-phenylbutyrate Aquatic Chronic 2, H411; Skin Sens. 1B, H317	≥0.25-<1%
CAS: 106-30-9 EINECS: 203-382-9 Reg.nr.: 01-2120104876-54-XXXX	Ethyl heptanoate Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.025-<0.25%
CAS: 84-66-2 EINECS: 201-550-6	diethyl phthalate substance with a Community workplace exposure limit	≤2.5%

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 3)

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

#### After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

#### After skin contact:

Wash the skin immediately with soap and water.

In case of skin irritation, consult a physician.

#### After eve contact:

Avoid strong water jet-risk of cornea damage, consult a doctor.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for 15 minutes.

Get medical attention if irritation occurs.

#### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Foam

Sand or soil

CO2, foam, extinguishing powder, water spray

For safety reasons unsuitable extinguishing agents: Water with full jet

### 5.2 Special hazards arising from the substance or mixture

Pressurized container may explode in a fire. Pressurized container may explode if heated, due to excessive pressure build-up.

# 5.3 Advice for firefighters

#### **Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Wear eye protection.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

(Contd. on page 5)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 4)

#### **6.1.1 For non-emergency personnel** Avoid contact with dripping or leaking material

#### **6.1.2** For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

#### **6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Prevent the product from entering sewers, rivers or the aquatic environment.

#### 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

### **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

Avoid contact with eyes, skin and clothing.

#### **Information about fire - and explosion protection:**





Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Flammable gas-air mixtures may form in empty receptacles.

Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

#### Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

EN

(Contd. on page 6)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 5)

SECTION	8:	<b>Exposure</b>	controls/	personal	l protectio	n

#### 8.1 Control parameters

Ingredients with	limit values that	require monitorin	g at the workplace:
ingicalcines with	mint values that	require information in	S at the workplace.

### CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

IOELV (EU) Long-term value: 308 mg/m<sup>3</sup>, 50 ppm

Skir

WEL (Great Britain) Long-term value: 308 mg/m<sup>3</sup>, 50 ppm

Sk

**CAS: 64-17-5 ethanol** 

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

**CAS: 106-97-8 butane** 

WEL (Great Britain) Short-term value: 1810 mg/m³, 750 ppm

Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

CAS: 84-66-2 diethyl phthalate

WEL (Great Britain) Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup>

### **DNEL Workers Long term exposure local effcts**

Ethanol (CAS 64-17-5) Inhlation: 1900 mg/m<sup>3</sup>

# **DNEL Workers Long term exposure systemic effects**

Ethanol (CAS 64-17-5) Inhalation: 950 mg/m<sup>3</sup>

Skin Contact: 343 mg/kg bw/day

# **DNEL** consumers Acute/short term exposure Local effects

Ethanol (CAS 64-17-5) Inhalation: 950 mg/m<sup>3</sup>

#### **8.2** Exposure controls

#### **8.2.1.** Appropriate engineering controls Provide adequate ventilation.

# Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

**Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 7)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 6)

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

#### Eye/face protection



Tightly sealed goggles (EN 166).

# **Body protection:**



Protective work clothing

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical stateAerosolColour:Not determinedOdour:CharacteristicOdour threshold:Not determined

Boiling point or initial boiling point and boiling

range Not applicable

Flammability Extremely flammable aerosol.

Lower and upper explosion limit

Lower:
Upper:
Not determined
Flash point:
Not determined
Auto-ignition temperature:
Not determined

**Viscosity:** 

**Kinematic viscosity Dynamic:**Not determined
Not determined

**Solubility** 

water:
Partition coefficient n-octanol/water (log value)
Not determined
Not determined
Not determined

Density and/or relative density

Density: Not determined Relative density Not determined

(Contd. on page 8)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 7)

Vapour density Not determined

9.2 Other information

Appearance:

Form: Aerosol

Important information on protection of health and

environment, and on safety.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.

**Cloud point / clarification point:** 

Oxidising propertiesNot oxidisingEvaporation rateNot applicable

Information with regard to physical hazard classes

Explosives Void Flammable gases Void

**Aerosols** Extremely flammable aerosol. Pressurised container: May

burst if heated.

**Oxidising gases** Void Void Gases under pressure Flammable liquids Void Void Flammable solids **Self-reactive substances and mixtures** Void Void **Pyrophoric liquids Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable Void

gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid

## **SECTION 10: Stability and reactivity**

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

The product should not be exposed to high temperatures, sparks, flame and electrostatic charges.

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products No dangerous decomposition products known.

ΕN

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 8)

### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

	•	,
LD/LC50 values relevant for classification:		
CAS: 34590-94-8 (2-methoxymethylethoxy)propanol		
Oral	LD50	5,135 mg/kg (rat)
Dermal	LD50	>19,000 mg/kg (rabbit)
CAS: 64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	17,100 mg/kg (rabbit)
Inhalative	LC50/4 h (vapour)	117-125 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

### **Endocrine disrupting properties**

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Aquatic toxicity:**

# CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

EC50	1,000 mg/l (algae)
EC50 (48h)	1,000 mg/l (Daphnia magna)
LC50 (96h)	1,000 mg/l (fis)

# 12.2 Persistence and degradability

(CAS: 64-17-5) Ethanol

84% in 20 days Biodegradable

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

(Contd. on page 10)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 9)

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

### European waste catalogue

HP3 Flammable

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

14.1 UN number or ID number	
-----------------------------	--

ADR, IMDG, IATA UN1950

14.2 UN proper shipping name

ADR 1950 AEROSOLS IMDG AEROSOLS

IATA AEROSOLS, flammable

# 14.3 Transport hazard class(es)

**ADR** 



Class 2 5F Gases. Label 2.1

(Contd. on page 11)

**Printing date 04.11.2022** Version number 1 **Revision: 04.11.2022** 

**Trade name: SPRAY PAPAYA GRAPE** 

	(Contd. of page 10
IMDG, IATA	
Class Label	2.1 Gases. 2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	- 
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat.
Stowage Couc	SW22 For AEROSOLS with a maximum capacity of 1
	litre: Category A. For AEROSOLS with a capacity above
	1 litre: Category B. For WASTE AEROSOLS: Category
Segregation Code	C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1
Segregation Code	litre:
	Segregation as for class 9. Stow "separated from" class 1
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according to IM	МО
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
Tuesday out cotogous	Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2 D
IMDG	17
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0
Excepted quantities (EQ)	Not permitted as Excepted Quantity
UN "Model Pegulation":	UN 1950 AEROSOLS, 2.1
UN "Model Regulation":	ON 1750 AEROSOLS, 2.1

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 11)

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

The product is classified according to the Directive 75/324/EEC (ADD) and its amendments, because its an aerosol dispenser product.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

# Directive 2012/18/EU

Named dangerous substances - ANNEX I Does not contain named substances.

Seveso category P3a P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

# DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

# Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

# Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### **National regulations:**

# Other regulations, limitations and prohibitive regulations

# Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 13)

Printing date 04.11.2022 Version number 1 Revision: 04.11.2022

Trade name: SPRAY PAPAYA GRAPE

(Contd. of page 12)

#### **Relevant phrases**

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

#### **Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

## Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

# **Department issuing SDS:**

SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

EN