

Page 1/16

#### Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: SPRAY COOL RIVER

UFI: 1Y60-807K-X00R-E9Y5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture:** Air freshener for Consumer & Professional use.

#### 1.3 Details of the supplier of the safety data sheet

#### **Manufacturer/Supplier:**

Prime Solutions 2 Deligiorgi str.

174 56, Alimos, Greece Tel.: +30 2109902641 Fax: +30 2109945660

e-mail:info@primesolutions.gr website: www.primesolutions.gr

#### Supplier/Distributor

Spring Air

Deligiorgi 2 & Ionias

174 56 Alimos, Athens, Greece

Tel: +30 2109734805 Fax:+30 2109945660 e-mail: info@springair.gr website: www.springair.gr

#### 1.4 Emergency telephone number:



European Emergency Tel.: 112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 1)

#### 2.2 Label elements

#### Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

#### **Hazard pictograms:**





GHS02 GHS09

Signal word: Danger

#### **Hazard statements:**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P273 Avoid release to the environment.

P391 Collect spillage.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### **Additional information:**

EUH208 Contains linalool, Coumarin,  $\alpha$ -hexylcinnamaldehyde, linalyl acetate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Cedarwood oil, (R)-p-mentha-1,8-diene. May produce an allergic reaction.

Buildup of explosive mixtures possible without sufficient ventilation.

#### Classification according to Directive 75/324/EEC (ADD) and its amendments:

The product is classified according to the Directive 75/324/EEC (ADD) and its amendments, because its an aerosol dispenser product.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Determination of endocrine-disrupting properties		
CAS: 1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	List II
CAS: 1222-05-5	galaxolide	List II

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture: consisting of the following components.

(Contd. on page 3)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

**Trade name: SPRAY COOL RIVER** 

Inquedients according Description		Contd. of pag
Ingredients according Regulation		
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0	isobutane  Flam. Gas 1A, H220; Press. Gas (Comp.), H280	≥25-<50%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-XXXX	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	≥10-<25%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	propane  Flam. Gas 1A, H220; Press. Gas (Comp.), H280	≥10-<25%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	ethanol  Flam. Liq. 2, H225;  Eye Irrit. 2, H319	≥2.5-<10%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0	butane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	≥2.5-<10%
CAS: 78-70-6 EINECS: 201-134-4 Index number: 603-235-00-2	linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	≥0.1-<1%
CAS: 91-64-5 EINECS: 202-086-7	Coumarin  Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<1%
CAS: 101-86-0 EINECS: 202-983-3	α-hexylcinnamaldehyde Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Sens. 1B, H317	≥0.1-<1%
CAS: 115-95-7 EINECS: 204-116-4 Reg.nr.: 01-2119454789-19-XXXX	linalyl acetate  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥0.1-<1%
CAS: 1506-02-1 EINECS: 216-133-4 Reg.nr.: 01-2119539433-40-XXXX	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)  Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	≥0.1-<1%
CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.1-<1%

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

		(Contd. of page 3)
CAS: 68990-83-0	Cedarwood oil	≥0.1-<1%
EINECS: 294-461-7	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	-
CAS: 1222-05-5	galaxolide	≥0.025-<0.25%
EINECS: 214-946-9	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Index number: 603-212-00-7		
Reg.nr.: 01-2119488227-29-XXXX		
CAS: 28219-61-6	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-	≥0.025-<0.25%
EINECS: 248-908-8	1-ol	
	Aquatic Chronic 1, H410;  Eye Irrit. 2, H319	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	≥0.025-<0.25%
EINECS: 227-813-5	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304;	1
Index number: 601-096-00-2	Aquatic Acute 1, H400;  Skin Irrit. 2, H315; Skin	
	Sens. 1B, H317; Aquatic Chronic 3, H412	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information:**

Take affected persons out into the fresh air.

In all cases call a doctor

#### After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

#### After skin contact:

Remove contaminated clothing.

Wash the skin immediately with soap and water.

In case of skin irritation, consult a physician.

#### **After eye contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for 15 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

#### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- EN

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

**Trade name: SPRAY COOL RIVER** 

(Contd. of page 4)

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, dry chemical powder, foam, soil or sand

For safety reasons unsuitable extinguishing agents: Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

Pressurized container may explode in a fire. Pressurized container may explode if heated, due to excessive pressure build-up.

#### **5.3** Advice for firefighters

#### **Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool adjacent tanks by spraying water at a safe distance.

#### **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes.

Keep away from ignition sources.

#### **6.1.1 For non-emergency personnel** Avoid contact with dripping or leaking material

#### 6.1.2 For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

#### **6.2** Environmental precautions:

Prevent the product from entering sewers, rivers or the aquatic environment.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

It is collected with liquid absorbent materials (vermiculite, sand, pyrite deposits, sawdust).

Dispose contaminated material as waste according to item 13.

#### **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

Avoid contact with skin and eyes.

Do not eat, drink or smoke during the usage of the product.

Wash contaminated clothing before reuse.

Wash your hands thoroughly after handling.

(Contd. on page 6)

**Printing date 06.02.2023** Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 5)

#### **Information about fire - and explosion protection:**





Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Flammable gas-air mixtures may form in empty receptacles.

Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage:** Store in cool, dry conditions in well sealed receptacles.

#### Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

**Information about storage in one common storage facility:** Store away from oxidising agents.

#### Further information about storage conditions:

Keep away from children

Protect from heat and direct sunlight.

**7.3 Specific end use(s)** No further relevant information available.

<b>SECTION 8: Exposure conti</b>	rols/	personal	prot	ection
----------------------------------	-------	----------	------	--------

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
CAS: 34590-94-8 (2-methoxymethylethoxy)propanol	

IOELV (EU) Long-term value: 308 mg/m<sup>3</sup>, 50 ppm

WEL (Great Britain) Long-term value: 308 mg/m³, 50 ppm

**CAS: 64-17-5 ethanol** 

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

**CAS: 106-97-8 butane** 

WEL (Great Britain) Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm

Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

CAS: 84-66-2 diethyl phthalate

WEL (Great Britain) Short-term value: 10 mg/m<sup>3</sup> Long-term value: 5 mg/m<sup>3</sup>

**DNELs** 

(CAS: 34590-94-8) (2-methoxymethylethoxy)propanol

Workers

Long-term, systemic effects, dermal: 283 mg/kg bw/d Long-term, systemic effects, inhalation: 308 mg/m<sup>3</sup>

Consumers

Long-term, systemic effects, dermal: 121 mg/kg bw/d Long-term, systemic effects, inhalation: 37,2 mg/m<sup>3</sup>

(Contd. on page 7)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 6)

Long-term, systemic effects, oral: 36 mg/kg bw/d

(CAS: 64-17-5) ethanol

Workers:

Short-term exposure, local effects, by inhalation: 1900 mg/m³ Long-term exposure, systemic effects, inhalation: 950 mg/m³ Long-term exposure, systemic effects, dermal: 343 mg/kg bw/d

Consumers:

Short-term exposure, local effects, inhalation: 950 mg/m³ Long-term exposure, systemic effects, oral: 87 mg/m³ Long-term exposure, systemic effects, inhalation: 114 mg/m³ Long-term exposure, systemic effects, dermal: 206 mg/kg bw/d

**PNECs** 

(CAS: 34590-94-8) (2-methoxymethylethoxy)propanol

Fresh water: 19 mg/l Marine water: 1.9 mg/l

Intermittent releases: 190 mg/l

Sewage Treatment Plant (STP): 4168 mg/l

Fresh water sediment: 70.2 mg/kg Marine water sediment: 7.02 mg/kg

Soil: 2.74 mg/kg

PNEC (64-17-5 Ethanol): Fresh water: 0,96 mg/l Marine water: 0,79 mg/l

STP: 580 mg/l

Sediment (fresh water): 3,6 mg/kg dw Sediment (marine water): 2,9 mg/kg dw

Soil: 0,63 mg/kgdw Oral: 0,72 mg/kg food

#### **8.2** Exposure controls

#### **8.2.1. Appropriate engineering controls** Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Avoid contact with skin and eyes.

Remove contaminated clothes and wash before reusing them.

Do not eat, drink or smoke while using the product.

Be sure to clean skin thoroughly after work and before breaks.

Wash hands before breaks and at the end of work.

#### **Respiratory protection:**



Use suitable respiratory protective device in case of insufficient ventilation.

#### **Hand protection**



(Contd. on page 8)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 7)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

#### **Eye/face protection**



For packaging and processing operations use protective goggles.

#### **Body protection:**



Chemically resistant protective clothing.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Aerosol
Colour: Colourless

Odour: Characteristic odour Odour threshold: Not determined

Boiling point or initial boiling point and boiling

range Not applicable

**Flammability** Extremely flammable aerosol.

Lower and upper explosion limit

Lower: Not determined Upper: Not determined

Flash point: -97 °C

Auto-ignition temperature:Not determinedDecomposition temperature:Not determinedpHNot determined

Viscosity:

**Kinematic viscosity Dynamic:**Not determined
Not determined

**Solubility** 

water:
Partition coefficient n-octanol/water (log value)
Vapour pressure:
Not determined
Not determined

(Contd. on page 9)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 8)

Density and/or relative density

Density:Not determinedRelative densityNot determinedVapour densityNot determined

9.2 Other information

**Appearance:** 

Form: Aerosol

Important information on protection of health and

environment, and on safety.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

**Cloud point / clarification point:** 

Oxidising properties Not oxidising
Evaporation rate Not applicable

Information with regard to physical hazard classes

Explosives Void Flammable gases Void

**Aerosols** Extremely flammable aerosol. Pressurised container:

May burst if heated.

Void **Oxidising gases** Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable

Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

#### **SECTION 10: Stability and reactivity**

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

#### Thermal decomposition / conditions to be avoided

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

The product should not be exposed to high temperatures, sparks, flame and electrostatic charges.

10.5 Incompatible materials Oxidizing agents

(Contd. on page 10)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 9)

**10.6 Hazardous decomposition products** No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

(CAS: 1222-05-5) galaxolid Oral LD50 (rat):> 4640 mg / kg Dermal, LD50 (rat):> 10000 mg / kg

CAS: 3459	CAS: 34590-94-8 (2-methoxymethylethoxy)propanol		
Oral	LD50	5,135 mg/kg (rat)	
Dermal	LD50	>19,000 mg/kg (rabbit)	
CAS: 64-1	7-5 ethanol		
Oral	LD50	10,470 mg/kg (rat)	
Dermal	LD50	17,100 mg/kg (rabbit)	
Inhalative	LC50/4 h (vapour)	117-125 mg/l (rat)	
CAS: 106-	CAS: 106-97-8 butane		
Inhalative	LC50/4 h (vapour)	658 mg/l (rat)	
CAS: 78-7	70-6 linalool		
Oral	LD50	2,790 mg/kg (rat)	
Dermal	LD50	5,610 mg/kg (rabbit)	
CAS: 91-6	CAS: 91-64-5 Coumarin		
Oral	LD50	293 mg/kg (rat)	
CAS: 5989	CAS: 5989-27-5 (R)-p-mentha-1,8-diene		
Oral	LD50	4,400 mg/kg (rat)	

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eve damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

(CAS: 64-17-5) ethanol

Fertility:

NOAEL (oral, mouse) = 13,8 g/kg (similar. OECD 416))

NOAEC (inhalation, rat) >16,000 ppm

RESIDUAL TOXICITY (similar. OECD 414):

NOAEL (oral) = 5.2 g/kgbw/d

NOAEC (inhalation) = 39 mg/l

Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

(Contd. on page 11)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 10)

#### 11.2 Information on other hazards

Endocrine disrupting properties		
CAS: 1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	List II
CAS: 1222-05-5	galaxolide	List II

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Aquatic toxicity:**

(CAS: 1222-05-5) galaxolid

Acute fish toxicity: LC50: 1.36 mg/l, 96 h, Lepomis macrochirus Acute pain toxicity: ErC50: 0.854 mg/l, Pseudokirchnerella subcapitata Acute crustacean toxicity: EC50: 0.47 mg/l, 48 h, Acartia tonsa

Acute crustacean toxicity: EC50: 0.47 mg/l, 48 h, Acartia tonsa Toxicity to fish: NOEC: 0.093 mg/l, 21 d, Lepomis macrochirus

#### CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

01201010	y to (= monony moonly) propanor
EC50	1,000 mg/l (algae)
EC50 (48h)	1,000 mg/l (Daphnia magna)
LC50 (96h)	1,000 mg/l (fis)

#### 12.2 Persistence and degradability

(CAS: 64-17-5) Ethanol

84% in 20 days Biodegradable

(CAS: 1222-05-5) 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno [5,6-c] pyran; galaxolide; (HHCB)

Method: OECD Guideline 301 B

Result: 2% in 28 days

Hardly biodegradable (according to OECD criteria)

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

## 12.7 Other adverse effects Remark: Toxic for fish

#### Additional ecological information:

#### **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Also poisonous for fish and plankton in water bodies.

The product contains materials that are harmful to the environment.

EN

(Contd. on page 12)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

**Trade name: SPRAY COOL RIVER** 

(Contd. of page 11)

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European	waste	cata	logue
----------	-------	------	-------

HP3 Flammable

HP14 Ecotoxic

**Uncleaned packaging:** 

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information**

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1950

14.2 UN proper shipping name

ADR 1950 AEROSOLS, ENVIRONMENTALLY

**HAZARDOUS** 

IMDG AEROSOLS, MARINE POLLUTANT

IATA AEROSOLS, flammable

14.3 Transport hazard class(es)

**ADR** 





Class 2 5F Gases. Label 2.1

**IMDG** 





Class 2.1 Gases.

(Contd. on page 13)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

**Trade name: SPRAY COOL RIVER** 

	(Contd. of page 12)
Label	2.1
IATA	
Class Label	2.1 Gases. 2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant: Special marking (ADR):	Environmental Hazardous Yes Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code  Segregation Code	Warning: Gases.  F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2 D
IMDG Limited quantities (LQ)	1L
	(Contd. on page 14)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

	(Contd. of page 13)
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
UN ''Model Regulation'':  UN 1950 AEROSOLS, 2.1, ENVIRONME HAZARDOUS	

#### **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

The product is classified according to the Directive 75/324/EEC (ADD) and its amendments, because its an aerosol dispenser product.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I Does not contain named substances.

Seveso category

P3a P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

## DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

## Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

## Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 15)

Revision: 06.02.2023 Version number 1 **Printing date 06.02.2023** 

Trade name: SPRAY COOL RIVER

(Contd. of page 14)

#### **National regulations:**

#### Other regulations, limitations and prohibitive regulations

#### Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### **Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008	
Aerosols, Section 2.3.1	Bridging principles
(chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### **Department issuing SDS:**



SUST SUSTCHEM S.A.

**REACH & Chemical Services Department** 

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 16)

Printing date 06.02.2023 Version number 1 Revision: 06.02.2023

Trade name: SPRAY COOL RIVER

(Contd. of page 15)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1  $\,$ 

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

EN